

Works : 748/1, G.I.D.C. Industrial Estate, Jhagadia - 393 110. Dist. Bharuch, GUJARAT, INDIA.

Ph.: 9898996315 • **GSTIN :** 24AAECF0045M2ZS

E-mail : info@farmson.com • **Web :** www.farmson.com • **CIN :** U24110GJ2020PTC112370

FBDPL/UNIT/III/ADM/2025

Date: 01/06/2025

To,

The Deputy Director General of Forest (Central)

The Regional Office, Ministry of Environment, Forest & Climate Change

Kendriya Paryavaran Bhavan, Link Road No. 3

Ravi Shankar Nagar, Bhopal-462016

Sub: Submission of Compliance Report to the Environment Clearance accorded for Expansion of Synthetic Organic Chemicals at Plot Np.748/1, GIDC, and Jhagadia Di: Bharuch, Gujarat-393110 for Half year return June-2025.

Ref.: SEIAA/GUJ/EC/5(f)/388/2021 Dated 03/04/2021

Respected Sir,

With due reference to the above subject and letter issued to SEIAA/GUJ/EC/5(f)/388/2021, we would like to submit our EC Compliance Report to Half Yearly return month June-2025.

Thanking You,
Yours Sincerely.

For Farmson Basic Drugs Pvt. Ltd. (Unit-III)



Authorized Signatory

Encl: EC Compliance

FARMSON BASIC DRUGS PVT. LTD (Unit-III)
Plot No. 748/1 GIDC Estate, Jhagadia, Dist.: Bharuch, Gujarat

Compliance report of Environmental clearance awarded vide your letter no.SEIAA/GUJ/EC/5(f)/388/2021
Dated 3rd Apr 2021

Date- 01.06.2025

A.1 SPECIFIC CONDITIONS		Compliances
1.	PP shall comply conditions of any subsequent amendment or expansion or change in product mix, after the 30th March 2021, considered as per the provisions in force at that time as mentioned in the Notification vide S.O. 1223 (E) dated 703/2024 and S.O. 3636 (E) dated 15/10/2020.	Complied
2	PP shall carry out proposed project/activities in respect of Active Pharmaceutical Ingredients (API) as per the amended EIA Notification Vide S.O 1223 (E) dated 27/03/2020 or any subsequent amendments.	Complied
3	PP shall submit six monthly compliance report of Environmental Clearance without fail and the same shall be critically assessed by the regulatory authority.	Complied
4	There is no waste water generation from manufacturing process and washing activity as details submitted by PP.	No waster generation from process only waste water generate from Boiler Scrubber and QC waste and recycle through ETP,RO and MEE
5	The unit shall develop a green belt within premises (8527 sq. Meter i.e. 33% of total project area) as per the CPCB guidelines and submit an action plan of plantation for the next three years to the GPCB (As per the documents submitted before SEIAA/SEAC).	We submitted to Plan as per CPCB Guidelines.
6	Leak Detection and Repair (WAR) program shall be prepared and implemented as per the CPCB guidelines. LDAR Logbooks shall be maintained	Complied
7	Safety and Health: A. PP shall obtain PESO permission for the storage and handling of hazardous chemicals. (If applicable) B. PP shall provide Occupational Health Centre (01-1C) as per the provisions under the Gujarat Factories Rule 68U C. PP shall obtain fire safety certificate I Fire No-Objection certificate (NOC) from the concern authority as per the prevailing Rules I Gujarat Fire Prevention and Life Safety Measures Act, 2016. D. Unit shall adopt functional operations/process automation system including emergency response to eliminate risk associated with the hazardous processes. E. PP shall carry out mock drill within the premises as per the	A. We take permission from PESO licence for Hydrogen Gas. B. Complied and OHC Provided. C. Fire NOC Not required as per order GH/V/68 OF 2021/AGN-102021-100L.dated 08th July 2021. D. Adopt automation process and provide some process auto shut off valve. E. Complied Mock Drill conducted as per Planner and maintain Report.



	prevailing guidelines of safety and display proper evacuation plan in the manufacturing area in case of any emergency or accident. f. PP shall install adequate fire hydrant system within premises and separate storage of fire water and foam for the same shall be ensured by PP. Also PP shall provide alarm system in nearby fire station for emergency of any fire in plant area. g. PP shall take all the necessary steps for control of storage hazards within premises ensuring incompatibility of storage raw material and ensure the storage keeping safe distance as per the prevailing guidelines of the concerned authority. h. PP shall take all the necessary steps for human safety within premises to ensure that no any harm is caused to any worker/employee or labour within premises. i. Flame proof electrical fittings shall be provided in the plant premises, wherever applicable. j. Unit shall provide safety valve & rupture disc to the Hydrogenation vessel	F. Complied provide Fire Hydrant system in premises. G. Complied & Store raw material in separate. Complied Complied Complied and testing done as Factory Act and maintain Record.
A.2	WATER	
8	Total water requirement for the project shall not exceed 1477.02 KLD. Unit shall reuse 409.27 KLD. Hence, Fresh water requirement shall not exceed 1067.75 KLD. It shall be met through GIDC water supply only. Prior permission from the concerned authority shall be obtained for withdrawal of water.	Complied water condition and At present per day 751 KL/Day.
9	The industrial effluent generation from the project shall not exceed 419.27 KLD after expansion.	Complied All industrial Recycle in Process.
10	The entire industrial effluent shall be treated in primary and tertiary ETP followed by RO plant. Then RO reject shall be evaporated in in-house closed evaporator and RO permeate shall be further treated in ETP. 404.27 KLD: treated effluent shall be reused back in process.	Complied
11	Unit shall maintain total ZLD for industrial effluent and there shall be no drainage connection within premises and Industrial effluent shall be riot discharged outside by any means.	Complied

12	Domestic wastewater generation shall not exceed 5 KL/day for proposed project and it shall be treated in STP. Treated sewage shall be utilized for gardening and plantation purpose within premises after achieving on-land discharge norms prescribed by the GPCB.						Complied
13	During monsoon season when treated sewage may not be required for the plantation / Gardening / Green belt purpose, it shall be stored within premises. There shall be no discharge of waste water outside the premises in any case.						Complied
14	Wastewater shall be fed to in-house evaporator only after providing adequate treatment in such way that no pollutant get air borne during evaporation to avoid adverse impact on Human Health & Environment.						Complied
15	The unit shall provide metering facility at the inlet and outlets of ETP, RO, and Evaporator and maintain records for the same.						Complied and Maintain Look book for meter reading.
16	Proper logbooks of ETP; chemical consumption in Effluent treatment; quantity & quality of effluent fed into Evaporator and quantity & quality of effluent reuse within process, power consumption etc. shall be maintained and shall be furnished to the GPCB from time.						Complied and Log Book Updated
A.3	AIR						
17	Unit shall not exceed fuel consumption for steam boilers and D G sets as mentioned below: <u>Existing:</u>						Complied and Monitoring done quarterly basis.
	Sr. no.	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel MT/Day	Type of emissions i.e. Air Pollutants	
	1	Boiler-6T/Hr	31	PNG/Agro Briquettes	PNG:300 nm3/hr(7200 nm3/day)/ Agro Briquettes:1000 Kg/hr(24 MTD)	PM SOx NOx	
	2	Boiler-6T/Hr	31	PNG/Agro Briquettes /Imported Coal	Briquettes:15 MTD/Imported Coal:12 MTD	PM SOx NOx	
	3	DG Set (1 x 250 KVA)	15	HSD	50 Lit/hr		
						Adequate stack height	



4	DG Set (1 x 320 KVA)	15	HSD	100 Lit/hr	Adequate stack height
5	DG Set (1x250KVA)	15	HSD	50 Lit/hr	Adequate stack height

Proposed:

Sr. no.	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel	Type of emissions i.e. Air Pollutants	Air Pollution Control Measures (APCM)
1	Boiler - 20T/Hr	31	PNG/ Coal	NG:1500 nm3/hr(37000 nm3/day) Coal:40 MTD)	PM SOx NOx	ESP & Scrubber
2	DG Set (1 x 1010 KVA)	15	HSD	100 Lit/hr	PM SOx NOx	-
3	DG Set (1 x 1010 KVA)	15	HSD	100 Lit/hr	PM SOx NOx	

18 Unit shall provide adequate APCM with flue gas generation sources as mentioned above. Complied

19 Unit shall provide adequate APCM with process gas generation sources as mentioned below. Complied and Monitoring Done quarterly basis.

Sr. no.	Specific Source of emission (Name of the Product & Process)	Type of emission	Stack/ Vent Height (meter)	Air pollution Control Measures (APCM)
Existing				
1	Hydrolysis Blowdown	Water Vapour	9	Alkali Scrubber
2	Reaction Vessel	Water Vapour	9	Alkali Scrubber



	3	HCL Storage Tank	HCl	9	Alkali Scrubber	
	Proposed					
	4	Hydrolysis Blowdown	Water Vapour	9	Alkali Scrubber	
	5	Reaction Vessel	Water Vapour	9	Alkali Scrubber	
	6	HCL Storage Tank	HCl	9	Alkali Scrubber	
20	The fugitive emission in the work zone environment shall be monitored. The emission shall conform to the standards prescribed by the concerned authorities from time to time (e.g. Directors of Industrial Safety & Health). Following indicative guidelines shall also be followed to reduce the fugitive emission. ➤ Internal roads shall be either concreted or asphalted or paved properly to reduce the fugitive emission during vehicular movement. ➤ Air borne dust shall be controlled with water sprinklers at suitable locations in the plant. ➤ A green belt shall be developed all around the plant boundary and also along the roads to mitigate fugitive & transport dust emission.					Complied
21	Regular monitoring of Volatile Organic Compounds (VOCs) Shall be carried out in the work zone area and ambient air.					Complied Ambient air monitoring done.
22	For control of fugitive emission, VOCs, following steps shall be Followed: A. Closed handling and charging system shall be provided for Chemicals. B. Reflux condenser shall be provided over Reactors / Vessels. C. Pumps shall be provided with mechanical seals to prevent Leakages. D. Air borne dust at all transfers operations/ points shall be controlled either by spraying water or providing enclosures.					Complied Complied Complied Complied
23	Solvent management shall be carried out as follows: ✓ Measures shall be taken to reduce the process vapours emissions as far as possible. Use of toxic solvents shall be minimum. All					Complied and provided Scrubber



	venting equipment shall have vapour recovery system ✓ Reactor shall be connected to adequate chilling system to condensate solvent vapours and reduce losses. ✓ Reactor and solvent handling pump shall have mechanical seals to prevent leakages. ✓ The condensers shall be provided with sufficient HTA. And residence time so as to achieve maximum solvent recovery. ✓ Solvents shall be stored in a separate space specified with all safety measures. ✓ Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. ✓ Solvent storage and handling area shall be flame proof the solvent storage tanks shall be provided with breather valve to prevent losses.	Complied Complied Complied Complied Complied Complied
--	--	---

24	Regular monitoring of ground level concentration of PM10. PM2.5 SO2. NOx, HCI and VOC shall be carried out in the Impact zone and its records shall be maintained. Ambient air quality levels shall not exceed the standards stipulated by the GPCB. If at any stage these levels are found to exceed the prescribed limits, necessary additional control measures shall be taken immediately. The location of the stations and frequency of monitoring shall be decided in consultation with the GPCB.	Complied and Ambient air Monitoring done.
----	---	---


A.4	SOLID/HAZARDOUS WASTE
------------	------------------------------


25

All the hazardous waste management shall be taken care as mentioned below:

Sr. No.	Type /name of Waste	Specific Source of generation (Name of Activity Product Etc.)	Category and Schedule as per HW Rules	Quantity (MT/Annum)			Method of Disposal
				Existing	Proposed	Total	
1.	Spent catalyst	Process	28.2	19.8	10.2	30	Collection, Storage, Transport, To Authorised Reprocesses for Regeneration
2.	Waste bags and drums	Raw Material	33.3	40	140	180	Collection, Storage, Transport, Sale to Authorised Recyclers.
3.	Spent lube oil	Maintenance	5.1	10	1.2	11.2	Collection, Storage, Transport, Sale to Authorised Recyclers.
4.	ETP Sludge	ETP	35.4	0	864	864	Collection, Storage, Transportation and To Approved TSDF Facility
5.	Evaporation Salt	Evaporator	37.3	0	54	54	Collection, Storage, Transportation and To Approved TSDF Facility

Complied






26	Authorized end-users shall have permissions from the concerned authorities under the Rule 9 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016.	Complied
27	Unit shall explore the possibilities for environment friendly methods like co-processing of hazardous waste for disposal of Incinerable & and fillable wastes before sending to CHWIF & TSDF sites respectively.	Complied TSDF Site membership certificate Available
A.5	OTHER	
28	The project proponent shall allocate the separate fund of Rs. 50 Lakhs as committed before SEAC. The entire activities proposed under Corporate Environment Responsibility (CER) shall be part of Environment Management Plan (EMP) as per the MoEF&CC's OM no. F. No. 22-65/2017-IA.III dated 30.09.2020. This shall be monitored and the monitoring report shall be submitted to the regional office of MoEF&CC as a part of half-yearly compliance report and to the District Collector. The monitoring report shall be posted on the website of the project proponent.	Complied
29	All the environmental protection measures and safeguards proposed in the Form-1 & PFR submitted by the project proponent and commitments made in their application shall be strictly adhered to in letter and spirit.	Complied
B		
B.1	CONSTRUCTION PHASE	
30	Water demand during construction shall be reduced by use of curing agents. Super plasticizers and other best Construction practices.	Complied
31	Project proponent shall ensure that surrounding environment shall not be affected due to construction activity. Construction materials shall be covered during transportation and regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.	Complied
32	All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.	Complied
33	First Aid Box shall be made readily available in adequate quantity at all the times.	Complied and OHC Available
34	The project proponent shall strictly comply with the Building and other Construction Workers (Regulation of Employment & Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments. Local bye-laws of concern authority shall be complied in letter and spirit.	Complied
35	Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality shall be closely monitored during construction phase.	Complied and Noise monitoring done
36	Use of Diesel Generator (DG) sets during construction	Complied

	phase shall be strictly equipped with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.	
37	Safe disposal of waste water and municipal solid wastes generated during the construction phase shall be ensured.	Complied
38	All topsoil excavated during construction activity shall be used in horticultural / landscape development within the project site.	Complied
39	Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed of with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighbouring communities.	Complied
40	Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready Mix Concrete [RMC] and lead free paints in the project.	Complied
41	Fly ash shall be used in construction wherever applicable as per provisions of Fly Ash Notification under the E.P. Act, 1986 and its subsequent amendments from time to time.	Complied we send Fly ash to Brick industry.
42	"Wind - breaker of appropriate height i.e. 1/3rd of the building height and maximum up to 10 meters shall be provided. Individual building within the project site shall also be provided with barricades.	Complied
43	"No uncovered vehicles carrying construction material and waste shall be permitted."	Complied
44	"No loose soil or sand or construction & demolition waste or any other construction material that cause dust shall be left uncovered. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured."	Complied
45	Roads leading to or at construction site must be paved and blacktopped (i.e. - metallic roads).	Complied
46	No excavation of soil shall be carried out without adequate dust mitigation measures in place.	Complied
47	Dust mitigation measure shall be displayed prominently at the construction site for easy public viewing.	Complied
48	Grinding and cutting of building materials in open area shall be prohibited.	Complied
49	Construction material and waste should be stored only within earmarked area and road side storage of construction material and waste shall be prohibited.	Complied
50	Construction and demolition waste processing and disposal site shall be identified and required dust mitigation measures be notified at the site. (If applicable).	NA
B.2	OPERATION PHASE	



B.2.1	WATER	
51	The water meter shall be installed and records of daily and monthly water consumption shall be maintained.	Complied records available
52	All efforts shall be made to optimize water consumption by exploring Best Available Technology (BAT) The unit shall continuously strive to reduce, recycle and reuse the treated effluent.	Complied
B.2.2	AIR	
53	In case of use of spray dryer, the unit shall provide the adequate & efficient APCMs with spray dryer so that there should not be any adverse impact on human health & environment. Unit shall carry out third party monitoring of the proposed Spray dryer & it's APCM through the credible institutes and study report for impacts on Environment and Human health shall be submitted to GPCB every year along with half yearly compliance report.	NA. We have No Spray Dryer in MEE Plant.
54	Acoustic enclosure shall be provided to the DG sets (If applicable) to mitigate the noise pollution and shall conform EPA Rules for air and noise emission standards.	We provided Acoustic Encloser Third party monitoring done.
55	Stack/Vents (Whichever is applicable) of adequate height shall be provided as per the prevailing norms emission/Process gas emission.	Complied and Maintain stack height as per norms.
56	Flue gas emission & Process gas emission (If any) shall conform to the standards prescribed GPCB/CPCBI MoEF&CC. At no time, emission level should go beyond the stipulated standards.	Compiled and Monitoring done on regular basis.
57	All the reactors / vessels used in the manufacturing process shall be closed to reduce the fugitive emission.	Complied
B.2.3	HAZARDOUS/SOLID WASTE	
58	The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016. As may be amended from time to time. Authorization of the GPCB shall be obtained for collection / treatment / storage / disposal of hazardous wastes	Complied
59	Hazardous wastes shall be dried, packed and stored in separate designated hazardous waste storage facility with pucca bottom and leachate collection facility, before its disposal.	Complied and Provide leachate collection facility.
60	The unit shall obtain necessary permission from the nearby TSDF site and CHWIF. (Whichever is applicable)	Complied BEIL Membership certificate available.
61	Trucks/Tankers used for transportation of hazardous waste shall be in accordance with the provisions under the Motor Vehicle Act, 1988, and rules made there under.	Complied
62	The design of the Trucks/tankers shall be such that there is no spillage during transportation.	Complied
63	All possible efforts shall be made for Co-Processing of the Hazardous waste prior to disposal into TSDF/CHWIF.	Complied
64	Management of fly ash (If any) shall be as per the Fly ash Notification 2009 & its amendment time to time and it shall be ensured that there is 100% utilization of fly ash to be generated from the unit.	Compiled and fly ash sending to Brick manufacturing industry.

B.2.4	SAFETY	
65	The occupier/manager shall strictly comply the provisions under the Factories Act 1948 and the Gujarat Factories Rules 1963.	Complied
66	The project authorities shall strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules (MSIHC) 1989, as amended time to time and the Public Liability Insurance Act for handling of hazardous chemicals etc. Necessary approvals from the Chief Controller of Explosives and concerned Govt. Authorities shall be obtained before commissioning of the project. Requisite On-site and Off-site Disaster Management Plans have to be prepared and implemented.	Complied
67	Main entry and exit shall be separate and clearly marked in the facility.	Complied
68	Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.	Complied
69	Storage of flammable chemicals shall be sufficiently away from the production area.	Complied
70	Sufficient number of fire extinguishers shall be provided near the plant and storage area.	Complied
71	All necessary precautionary measures shall be taken to avoid any kind of accident during storage and handling of toxic / hazardous chemicals.	Complied
72	All the toxic/hazardous chemicals shall be stored in optimum quantity and all necessary permissions in this regard shall be obtained before commencing the expansion activities.	Complied
73	The project management shall ensure to comply with all the environment protection measures, risk mitigation measures and safeguards mentioned in the Risk Assessment report.	Complied
74	Only flame proof electrical fittings shall be provided in the plant premises.	Complied
75	Storage of hazardous chemicals shall be minimized and it shall be in multiple small capacity tanks / containers instead of one single capacity tank/containers.	Complied
76	All the storage tanks shall be fitted with appropriate Controls to avoid any leakages. Bund/dyke walls shall be provided for storage tanks for Hazardous Chemicals.	Complied
77	Handling and charging of the chemicals shall be done in closed manner by pumping or by vacuum transfer so that minimal human exposure occurs.	Complied
78	Tie up shall be done with nearby health care unit I doctor for seeking immediate medical attention in the case of emergency.	Complied
79	Personal Protective Equipment (PPEs) shall be provided to workers and its usage shall be ensured and supervised.	Complied
80	First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity.	Complied
81	Training shall be imparted to all the workers on safety and	Complied



	health aspects of chemicals handling.	
82	Occupational health surveillance of the workers shall be done and its records shall be maintained Pre-employment and periodical medical examination for all the workers shall be undertaken as per the Factories Act & Rules.	Complied
83	Transportation of Hazardous chemicals shall be done as per the provision of the motor vehicle Act & Rules.	Complied
84	The company shall implement all preventive and mitigation measures suggested in the Risk Assessment Report.	Complied
85	Necessary permissions from various statutory authorities like PESO, Factory Inspectorate and others shall be obtained prior to commissioning of the project.	Complied
B.2.5	NOISE	
86	The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise Level shall confirm to the standards prescribed under The Environment (Protection) Act. 1986 & Rules.	Complied and Monitoring done
B.2.6	CLEANER PRODUCTION AND WASTE MINIMISATION	
87	The unit shall undertake the Cleaner Production Assessment study through a reputed institute / organization and shall form a CP team in the company. The recommendations thereof along with the compliance shall be furnished to the GPCB.	Complied
88	The company shall undertake various waste minimization measures such as : A. Metering and control of quantities of active ingredients to minimize waste. B. Reuse of by-products from the process as raw materials or as raw materials substitutes. C. Use of automated and close filling to minimize spillages. D. Use of close feed system into batch reactors. E. Venting equipment through vapour recovery system. F. Use of high pressure hoses for cleaning to reduce wastewater generation. G. Recycling of washes to subsequent batches. H. Recycling of steam condensate. I. Sweeping / mopping of floor instead of floor washing to avoid effluent generation. J. Regular preventive maintenance for avoiding leakage, spillage etc.	Complied Complied Complied Complied Complied Complied Complied Complied Complied Complied Complied Preventive Maintenance plan available
89	Within premises as per the CPCB guidelines. However, if the adequate land is not available within the premises, the unit shall take up adequate plantation on road sides and suitable open areas in GIDC estate or any other open areas in consultation with the GIDC/GPCB and submit an action plan of plantation for next three years to the GPCB.	Complied
90	Drip irrigation / low-volume, low-angle sprinkler system shall be used for the green belt development within the premises.	Complied
91	Unit shall comply all the applicable standard conditions prescribed in Office Memorandum (OM) published by	Complied



	MoEF&CC vide no. F. No. 22-34/2018-1A.111 dated 09/08/2018 for Pharmaceutical and Chemical industries mentioned at (Sr. no. XX).	
92	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, the Construction and Demolition Waste Management Rules, 2016 and the Plastics Waste Management Rules, 2016 shall be followed.	Complied
93	Rain water harvesting (Off-site) shall be undertaken to conserve fresh water as well as to recharge ground water. Before recharging the surface run off, pre-treatment must be done to remove suspended matter. (Applicable for units consuming ground water 50 KLD in line with the prevailing guidelines of SPCB)	NA
94	The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the Industrial Association or GIDC or GPCB or any such authority created for this purpose by the Govt. / GIDC.	Complied
95	Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition the provision for solar water heating system shall also be provided.	Complied
96	The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.	Complied
97	All the commitments I undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.	Complied
98	The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.	Complied
99	In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.	Complied
100	The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB) State Government and any statutory authority.	Complied
101	During material transfer there shall be no spillages and garland drain shall be constructed to avoid mixing of accidental spillages with domestic wastewater or storm water.	Complied
102	Pucca flooring / impervious layer shall be provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.	Complied
103	Leakages from pipes, pumps shall be minimal and if occurs, shall be arrested promptly.	Complied
104	No further expansion or modifications in the plant likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.	Complied
105	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution)	Complied



	Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986. Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	
106	The project proponent shall comply all the conditions mentioned in The Companies (Corporate Social Responsibility Policy) Rules, 2014" and its amendments from time to time in a letter and spirit.	Complied
107	The project management shall ensure that unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report as well as proposed by project proponent.	Complied
108	The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Complied
109	The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied
110	It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.	Complied
111	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Complied
112	The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.	Complied
113	The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.	Complied
114	The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary.	Complied
115	The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Complied

